IN THE CLAIMS:

Please amend claims 1 and 16. The following is a complete listing of the claims.

- (Currently Amended) An external infusion device for infusion of a fluid into a body from a reservoir, the external infusion device comprising:
 - a drive system to operatively couple with a reservoir to infuse a fluid into a body;
- a housing adapted for use on an exterior of the body, wherein the housing is sized to contain at least a portion of a reservoir, wherein the drive mechanism is at least partially contained within the housing, wherein the drive mechanism operatively couples with the at least a portion of a reservoir within the housing, and wherein the housing is sized to be carried by a user without significant restriction on mobility;

electronic control circuitry coupled to the drive system to control infusion of the fluid into the body;

wherein the housing has at least one vent port <u>covered with a hydrophobic material</u> that permits the passage of air into and out of the housing and inhibits the passage of liquids into the housing through the at least one vent port <u>covered with the hydrophobic material</u>—and

wherein the at least one vent port further includes a hydrophobic material.

(Cancelled)

- (Previously Presented) An external infusion device according to claim 1, wherein the hydrophobic material is formed from PTFE.
- (Previously Presented) An external infusion device according to claim 1, wherein the hydrophobic material is formed as sheet.
- (Original) An external infusion device according to claim 4, wherein the sheet of hydrophobic material is attached to the housing using adhesives to cover the at least one vent port.

- (Original) An external infusion device according to claim 4, wherein the sheet of hydrophobic material is attached to the housing using sonic welding to cover the at least one vent port.
- (Original) An external infusion device according to claim 4, wherein the sheet of hydrophobic material is heat welded to the housing to cover the at least one vent port.
- (Original) An external infusion device according to claim 4, wherein the sheet of hydrophobic material is a label.
- (Previously Presented) An external infusion device according to claim 1, wherein the hydrophobic material is pressed into the housing of the external infusion device.
- (Original) An external infusion device according to claim 9, wherein the hydrophobic material is pressed into a cavity in the housing that forms the at least one vent port.
- (Original) An external infusion device according to claim 10, wherein the hydrophobic material is molded to fit the cavity in the housing.
- (Previously Presented) An external infusion device according to claim 1,
 wherein the hydrophobic material resists the passage of water.
- (Previously Presented) An external infusion device according to claim 1, wherein the external infusion device is configured to infuse insulin.
- 14. (Original) An external infusion device according to claim 1, wherein the housing and at least one vent port provide a water resistant structure that provides the user with the ability to participate in water sports.

- 15. (Original) An external infusion device according to claim I, wherein the at least one vent port allows the air pressure within the housing to equalize with the air pressure outside of the housing.
- (Currently Amended) An external infusion device for infusion of a fluid into a body from a reservoir, the external infusion device comprising:

drive system means to operatively couple with a reservoir for infusing a fluid into a body; housing means adapted for use on an exterior of the body, wherein the housing means is sized to contain at least a portion of a reservoir, wherein the drive mechanism means is at least partially contained within the housing means, wherein the drive mechanism means operatively couples with the at least a portion of a reservoir within the housing means, and wherein the housing means is sized to be carried by a user without significant restriction on mobility;

electronic control circuitry means coupled to the drive system for controlling infusion of the fluid into the body:

wherein the housing means has at least one vent port means <u>covered by a hydrophobic</u>
<u>material</u> for permitting the passage of air into and out of the housing means and inhibiting the
passage of liquids into the housing means through the at least one vent port <u>means covered by</u>
the hydrophobic material, and

wherein the at least one vent port means further includes hydrophobic material means.

(Cancelled)

- (Previously Presented) An external infusion device according to claim 16, wherein the hydrophobic material means is formed from PTFE.
- (Previously Presented) An external infusion device according to claim 16, wherein the hydrophobic material means is formed as sheet,
- 20. (Original) An external infusion device according to claim 19, wherein the sheet of hydrophobic material means is attached to the housing means using adhesives to cover the at least one vent port means.

- 21. (Original) An external infusion device according to claim 19, wherein the sheet of hydrophobic material means is attached to the housing means using sonic welding to cover the at least one vent port means.
- 22. (Original) An external infusion device according to claim 19, wherein the sheet of hydrophobic material means is heat welded to the housing means to cover the at least one vent port means.
- (Original) An external infusion device according to claim 19, wherein the sheet of hydrophobic material means is a label.
- 24. (Previously Presented) An external infusion device according to claim 16, wherein the hydrophobic material means is pressed into the housing means of the external infusion device.
- 25. (Original) An external infusion device according to claim 24, wherein the hydrophobic material means is pressed into a cavity in the housing means that forms the at least one vent port means.
- 26. (Original) An external infusion device according to claim 25, wherein the hydrophobic material means is molded to fit the cavity in the housing means.
- (Previously Presented) An external infusion device according to claim 16, wherein the hydrophobic material means resists the passage of water.
- 28. (Previously Presented) An external infusion device according to claim 16, wherein the external infusion device is configured to infuse insulin.

- 29. (Original) An external infusion device according to claim 16, wherein the housing means and at least one vent port means provide a water resistant structure that provides the user with the ability to participate in water sports.
- 30. (Original) An external infusion device according to claim 16, wherein the at least one vent port means allows the air pressure within the housing means to equalize with the air pressure outside of the housing means.

31-45. (Cancelled)